


# ESPECIAL AEROPORTOS

AIRPORTS / AEROPUERTOS




Giratório  
Swivel  
Giratoria



Fixo  
Rigid  
Fija




Código / Code			mm	mm	kg	mm	mm	mm	mm	mm	mm	kg	kg	
GDPC	FDPC	123 ESY	12"	300	2x70		1800	260x260	220x220	17	410	169	58,80	46,50
GDPC	FDPC	124 ESM	12"	300	2x100		2400	260x260	220x220	17	410	169	68,10	56,50



GPC	FPC	124 ESM	12"	300	100		1200	200x170	170x120	13	379	169	36,20	29,00
-----	-----	---------	-----	-----	-----	--	------	---------	---------	----	-----	-----	-------	-------




GL		312 IIR	3"	75	30		120	105x80	88,5/86x60	10,5/8	99	29	0,75	
----	--	---------	----	----	----	--	-----	--------	------------	--------	----	----	------	--



2976		PJH075 P54	3"	75	2x25		100	70x55	57/51x41	5,5	103	28	1,50	
------	--	------------	----	----	------	--	-----	-------	----------	-----	-----	----	------	--

# ESPECIAL ABSORÇÃO DE IMPACTO

SHOCK ABSORBING / ABSORCIÓN DE IMPACTO





## SÉRIE PMAX



Giratório  
Swivel  
Giratoria

Fixo  
Rigid  
Fija

GPMAX / FPMAX 62



Código / Code			mm	mm	kg	mm	mm	mm	mm	mm	mm	kg	kg	
GPMAX	FPMAX	62 ESS	6"	150	50		130	140x130	115/105x105/95	13	226	57	8,70	7,64
GPMAX	FPMAX	62 ESS	6"	150	50		180	140x130	115/105x105/95	13	226	57	8,70	7,64
GPMAX	FPMAX	82 ESS	8"	200	50		180	180x140	150x100	13	295	76	13,00	11,00
GPMAX	FPMAX	82 ESS	8"	200	50		300	180x140	150x100	13	295	76	13,00	11,00
GPMAX	FPMAX	102 ESS	10"	250	50		180	180x140	150x100	13	340	102	17,36	15,28
GPMAX	FPMAX	102 ESS	10"	250	50		300	180x140	150x100	13	340	102	17,36	15,28
GPMAX	FPMAX	103 ESS	10"	250	70		500	200x150	170x120	13	344	102	27,00	24,00
GPMAX	FPMAX	124 ESY	12"	300	100		750	200x200	160x160	17	393	100	44,50	38,80



GPMAX	FPMAX	62 BFS	6"	150	50		130	140x130	115/105x105/95	13	226	57	8,40	7,30
GPMAX	FPMAX	62 BFS	6"	150	50		180	140x130	115/105x105/95	13	226	57	8,40	7,30
GPMAX	FPMAX	82 BFS	8"	200	50		180	180x140	150x100	13	295	76	12,40	10,40
GPMAX	FPMAX	82 BFS	8"	200	50		300	180x140	150x100	13	295	76	12,40	10,40
GPMAX	FPMAX	102 BFS	10"	250	50		180	180x140	150x100	13	340	102	17,40	15,32
GPMAX	FPMAX	102 BFS	10"	250	50		300	180x140	150x100	13	340	102	17,40	15,32
GPMAX	FPMAX	103 BFS	10"	250	70		500	200x150	170x120	13	344	102	24,10	21,90
GPMAX	FPMAX	124 BFS	12"	300	100		750	200x200	160x160	17	393	100	33,00	35,90

Adicionar a capacidade de carga ao código do rodizio. Ex.: GPMAX 82 UFS 180 kg.


Add the load capacity after the caster code. E.: GPMAX 82 UFS 180 kg.

Añadir la capacidad de carga al código de la rueda industrial. Ex.: GPMAX 82 UFS 180 kg.


# ESPECIAL ABSORÇÃO DE IMPACTO

SHOCK ABSORBING / ABSORCIÓN DE IMPACTO

## SÉRIE PMAX



GPMAX / FPMAX 62



Giratório  
Swivel  
Giratoria

Fixo  
Rigid  
Fija



Código / Code			mm	mm	kg	mm	mm	mm	mm	mm	mm	kg	kg	
GPMAX	FPMAX	62 UFS	6"	150	50		130	140x130	115/105x105/95	13	226	57	8,40	7,30
GPMAX	FPMAX	62 UFS	6"	150	50		180	140x130	115/105x105/95	13	226	57	8,40	7,30
GPMAX	FPMAX	82 UFS	8"	200	50		180	180x140	150x100	13	295	76	12,00	10,00
GPMAX	FPMAX	82 UFS	8"	200	50		300	180x140	150x100	13	295	76	12,00	10,00
GPMAX	FPMAX	102 UFS	10"	250	50		180	180x140	150x100	13	340	102	16,30	14,22
GPMAX	FPMAX	102 UFS	10"	250	50		300	180x140	150x100	13	340	102	16,30	14,22
GPMAX	FPMAX	103 UFS	10"	250	70		500	200x150	170x120	13	344	102	23,80	21,70
GPMAX	FPMAX	124 UFS	12"	300	100		750	200x200	160x160	17	393	100	38,00	34,20

Adicionar a capacidade de carga ao código do rodízio. Ex.: GPMAX 82 UFS 180 kg.


Add the load capacity after the caster code. E.: GPMAX 82 UFS 180 kg.

Añadir la capacidad de carga al código de la rueda industrial. Ex.: GPMAX 82 UFS 180 kg.

# ESPECIAL COMPACTO

COMPACT / COMPACTO

## SÉRIE MW



Giratório  
Swivel  
Giratoria

Fixo  
Rigid  
Fija



Código / Code			mm	mm		kg	mm	mm	mm	mm	mm	kg	kg	
GMW	FMW	316 NRS	3"	75	42		500	105x80	85,7x60,3	8,7	101	23	1,17	0,89



GMW	FMW	316 CCL	3"	75	46		700	105x80	85,7x60,3	8,7	101	23	1,33	1,04
-----	-----	---------	----	----	----	--	-----	--------	-----------	-----	-----	----	------	------



GMW	FMW	316 UFS	3"	75	48		500	105x80	85,7x60,3	8,7	101	23	1,78	1,49
-----	-----	---------	----	----	----	--	-----	--------	-----------	-----	-----	----	------	------



GMW	FMW	316 PPS	3"	75	42		300	105x80	85,7x60,3	8,7	101	23	1,38	1,10
-----	-----	---------	----	----	----	--	-----	--------	-----------	-----	-----	----	------	------

# ESPECIAL ANDAIMES

SCAFFOLDING / ANDÁMIOS


## SÉRIE ME



Giratório  
Swivel  
Giratoria

Fixo  
Rigid  
Fija

**BP**



Código / Code			mm	mm	kg	mm	mm	mm	mm	mm	mm	kg	
GME	FME	52 BPN	5"	130	50		200	33,5	150	159	40	3,45	2,53
GME	FME	52 BPR	5"	130	50		200	33,5	150	159	40	3,46	2,55
GME	FME	52 BPS	5"	130	50		200	33,5	150	159	40	3,49	2,58
GME	FME	62 BPN	6"	155	50		250	33,5	150	187	40	3,84	2,76
GME	FME	62 BPR	6"	155	50		250	33,5	150	187	40	3,84	2,78
GME	FME	62 BPS	6"	155	50		250	33,5	150	187	40	3,91	2,81



**NR**

GME	FME	52 NRF	5"	125	50		500	33,5	150	156	40	3,27	2,35
GME	FME	62 NRF	6"	150	50		600	33,5	150	184	40	3,63	2,59



**BF**

GME	FME	52 BFL	5"	125	50		250	33,5	150	156	40	4,69	3,77
GME	FME	62 BFL	6"	150	50		300	33,5	150	184	40	5,30	4,22



**UF**

GME	FME	52 UFL	5"	125	50		600	33,5	150	156	40	4,65	3,74
GME	FME	52 UFS	5"	125	50		600	33,5	150	156	40	4,52	3,60
GME	FME	62 UFL	6"	150	50		600	33,5	150	184	40	5,22	4,15
GME	FME	62 UFS	6"	150	50		600	33,5	150	184	40	5,06	3,98

Espiga Lisa / Stem / Espiga Lisa

Rodízio Caster / Rueda Industrial	Série	Tamanho Size / Tamaño	Código Stem / Code	mm	mm
	ME	standard	E35	33,5	150
		opcional/optional	E36	36,0	150
		opcional/optional	E37	38,1	150

# ESPECIAL PNEUMÁTICO

PNEUMATIC / NEUMÁTICO



## SÉRIE MP



### QE

Giratório  
Swivel  
Giratoria

Fixo  
Rigid  
Fija



Código / Code			mm	mm		kg	mm	mm	mm	mm	mm	kg		
GMPAX	FMPAX	358 QEL	15"	380	88		200	200x150	170x120	13	450	100	11,20	10,50
GMPAX	FMPAX	358 QES	15"	380	88		200	200x150	170x120	13	450	100	11,50	10,80
GMPAX	FMPAX	408 QEL	16"	410	105		300	200x150	170x120	13	465	100	12,20	11,40
GMPAX	FMPAX	408 QES	16"	410	105		300	200x150	170x120	13	465	100	12,50	11,70

GMP / FMP



### QA

GMP	FMP	254 QAN	8"	212	60		100	140x130	115/105x105/95	13	251	56	3,62	3,46
GMP	FMP	254 QAL	8"	212	60		100	140x130	115/105x105/95	13	251	56	3,82	3,66
GMP	FMP	254 QAS	8"	212	60		100	140x130	115/105x105/95	13	251	56	3,95	3,79
GMP	FMP	354 QAN	10"	265	85		180	140x130	115/105x105/95	13	312	72	4,41	4,23
GMP	FMP	354 QAL	10"	265	85		180	140x130	115/105x105/95	13	312	72	4,61	4,43
GMP	FMP	354 QAS	10"	265	85		180	140x130	115/105x105/95	13	312	72	4,75	4,56



### QA

GMPAX	FMPAX	358 QAN	15"	380	88		200	200x150	170x120	13	450	100	10,80	10,00
GMPAX	FMPAX	358 QAL	15"	380	88		200	200x150	170x120	13	450	100	10,60	9,77
GMPAX	FMPAX	358 QAS	15"	380	88		200	200x150	170x120	13	450	100	10,70	9,87
GMPAX	FMPAX	408 QAN	16"	410	105		300	200x150	170x120	13	465	100	11,80	11,00
GMPAX	FMPAX	408 QAL	16"	410	105		300	200x150	170x120	13	465	100	11,50	10,70
GMPAX	FMPAX	408 QAS	16"	410	105		300	200x150	170x120	13	465	100	11,60	10,90

R 254	<b>30 psi</b>
R 354	<b>30 psi</b>
R 358	<b>40 psi</b>
R 408	<b>40 psi</b>



# LINHA AMBIENTAL

ENVIRONMENT LINE / LINEA AMBIENTAL



## CONTAINER PLÁSTICO PARA 120 L E 240 L PLASTIC REFUSE CONTAINER 120 L and 240 L CONTENEDOR PLÁSTICO DE BASURA PARA 120 L y 240 L

Código / Code	mm	mm	kg	mm	kg
R 82 VPT	8"	200	50	7/8"	1,500


ET - Eixo Tubular / Axle / Eje tubular

Ø	Comprimento	Código
21,3mm	480 mm	ET 01
	555 mm	ET 03
	574 mm	ET 04
	450 mm	ET 05



## CONTAINER PLÁSTICO PARA 1000 L PLASTIC REFUSE CONTAINER 1000 L CONTENEDOR PLÁSTICO DE BASURA 1000 L

Giratório Swivel Giratoria  
Fixo Rigid Fija



Código / Code	mm	mm	kg	* mm	* mm	* mm	mm	mm	kg	kg		
GST	82 VPN	8"	200	50	205	137x105	105x80/75	11	240	55	2,75	-
GST	82 VPN FT*	8"	200	50	205	137x105	105x80/75	11	240	55	3,03	-

\*Freio total / Total lock / Freno total



## CONTAINER METÁLICO PARA 900 L METALLIC REFUSE CONTAINER 900 L CONTENEDOR METÁLICO DE BASURA 900 L

GMW	62 BFL	6"	150	50	300	178x127	150x100	13	192	40	4,76	-
-----	--------	----	-----	----	-----	---------	---------	----	-----	----	------	---

\* Fixação Placas (desenho) vide pág. 16. / \* Fittings - Plates (draft) vide page 16. / \* Fijaciones - Placas (dibujo) vide pág. 16.

# LINHA AMBIENTAL

ENVIRONMENT LINE / LINEA AMBIENTAL



## CONTAINER METÁLICO PARA 1200 L

METALLIC REFUSE CONTAINER 1200 L

CONTENEDOR METÁLICO DE BASURA 1200 L

Giratório  
Swivel  
Giratoria

Fixo  
Rigid  
Fija



Código / Code		mm	mm	kg	* mm	* mm	* mm	mm	mm	kg	kg		
GMPAW	63 FFL	6"	150	70	≡	800	178x127	150x100	13	211	52	9,70	9,50



## CONTAINER METÁLICO PARA 1200 L

METALLIC REFUSE CONTAINER 1200 L

CONTENEDOR METÁLICO DE BASURA 1200 L

GMPAW	63 BFF AMB	6"	150	60	≡	400	178x127	150x100	13	211	58	8,91	8,70
GMPAW	63 BFL AMB	6"	150	60	≡	400	178x127	150x100	13	211	58	9,21	9,00